

Yellow Stringybark

Eucalyptus muelleriana



Yellow Stringybark gets its name from the thick, fibrous bark that is found on the logs. Stringybark logs produce a nice yellow timber which makes it great for visual applications like decking, flooring and furniture. Yellow Stringybark is sourced from both plantations and forests.

Origin- Yellow Stringybark grows in the southern New South Wales and eastern Victoria Region.



Yellow Stringybark decking(80 x 19) used for seating.

PROPERTIES (in accordance to the AS 5604)

Strength Group

Unseasoned	S3 (Reasonably High)
Seasoned	SD3 (Reasonably High)

Durability

In-Ground	Class 3 (5 – 15 years)
Above-Ground	Class 2 (15 – 40 years)

Density

Unseasoned	1100 kg/m ³
Seasoned	880 kg/m ³

Hardness

Unseasoned	6.3Kn (Janka)
Seasoned	8.5Kn (Janka)

Lyctid Borer Susceptibility Not Susceptible

Fire Resistant BAL19 (Resistant)

USES

- Posts
- Flooring
- Decking
- Landscaping
- Panelling
- Heavy Furniture
- Sills
- Decorative Turnery

GENERAL COMMENTS

Care is needed in drying to minimise surface checking and splitting.

Some collapse.

Unsuitable for steam bending.