

# RADIAL WATTLE & WIRE



Radial Timber Wattle and Wire is an exciting, natural-style fencing solution that weaves small, split plantation logs or profiled timber pales between tensioned wires. The result is a distinctive, handcrafted look that blends seamlessly into the landscape.

Wattle and Wire fencing is supplied in two main profiles. Split pale fencing which is a rustic natural split pale or Eucifence which is a uniform, profiled pale.

Radial timber Wattle and Wire is visually graded. The timber is unseasoned and rough sawn giving a naturally textured finish. Each fence is unique and some variation is to be expected.

Wattle and wire fencing is supplied in a range of durable, plantation grown, hardwood species.

Available in 0.9m, 1.2m or 1.5m heights at various gap spacings. Rolls can be purchased in 5m or 10m lengths.


Pool compliant options also available.



Split Pale



We currently only supply sustainably sourced Regrowth Hardwoods or plantation grown timber. Our goal is to become fully self sufficient from our privately owned plantation resource once they mature and become available. Radial Timber has been privately planting plantations since 2004.



Radial Timber is committed to environmentally responsible timber production. Our timber is radially sawn locally using unique sawing methods which give us up to 40% more yield from younger, less desired saw logs than traditional sawing methods





Split Pale

## Product Specification

**SPECIES:** Range of durable, Australian plantation grown Hardwoods (Mixed species)

**FINISH:** Rough sawn and unseasoned split or profiled pales between twisted aluminium, coated 2.5mm wire.

Stainless steel for coastal areas available on request.

### SPLIT PALE FENCING:

40mm, 65mm, 90mm (nominal) spacing between pales

### EUCIFENCE:

40mm, 65mm, 90mm (nominal) spacing between pales (10mm Special order only)

**LENGTH:** 0.9m, 1.2m or 1.5m fencing available

**GRADE:** Visually Graded Unseasoned Timber

Certified pool fencing 1.2m height (two wire) x 65mm spacing available on request.



Eucifence

We have a range of different sizes, styles and finishes to suit any job. Give our friendly staff a call to go through your next project, or come into our showroom to have a look at our displays.

For further technical information and installation guides visit:

**[www.radialtimbers.com.au](http://www.radialtimbers.com.au)**

Follow us on instagram @radialtimber

12 Park Drive, Dandenong South, Vic, 3175

Ph: (03) 9768 2100

**[sales@radialtimbers.com.au](mailto:sales@radialtimbers.com.au)**

# Split Pale Fence

Radial Wattle & Wire Split Pale Fencing is crafted from roughly split timber wedges, creating a highly textured, organic fence with strong visual character. Each pale is irregular in width, thickness and surface, celebrating the natural grain, splits and feature.

The split pales form a unique line that follows the landscape rather than fighting it. The open spacing allows airflow and filtered views while still clearly defining boundaries, making it as practical as it is visually appealing.



This fencing style is particularly well suited to rural, coastal and bushland environments, as well as character gardens and walking paths where a relaxed, handcrafted aesthetic is desired. Over time, the timber weathers naturally, developing a silvery patina that further enhances its connection to the surrounding landscape.

Radial Wattle & Wire Split Pale Fencing offers a timeless, low-impact solution that blends seamlessly into natural settings, bringing warmth, authenticity and charm to any project.

Available heights: 0.9m, 1.2m, 1.5m

Gap spacing: 40mm, 65mm 90mm (nominal)

Pool Fence compliance available.



# Eucifence

Radial Wattle & Wire Eucifence delivers a more refined and structured aesthetic while retaining the warmth and character of natural timber. Featuring diamond shaped timber battens this fencing system creates clean, consistent lines and a balanced, architectural appearance without feeling overly formal.

The profiled timber results in a strong, durable fence that performs as well as it looks. Its open yet controlled design allows airflow and visibility while still providing definition, security and screening where required.



This style of fencing is perfectly suited to front fences, privacy screens and boundary applications, offering a tidy, contemporary alternative to the other more rustic fencing styles. Beyond residential use, its strength and permeability also make it highly effective for functional applications such as windbreaks, sand erosion control and rural or coastal landscapes.

Designed to integrate seamlessly into both natural and built environments, Radial Wattle & Wire Eucifence provides a versatile, long-lasting fencing solution that balances form, function and natural appeal.

Available heights: 0.9m, 1.2m, 1.5m

Gap spacing: 40mm, 65mm 90mm (nominal)

Note; As of 2026, Eucifence has no point at the top of profile.



# Wildcut Fence

Radial Wildcut Fencing is a character rich, rustic fencing solution that embraces natural variation and recycled timber.

Constructed from random recycled timber profiles, each slat varies slightly in width and height, creating an organic, uneven top line and an authentic, weathered appearance from day one.

Wildcut boards form a permeable boundary that defines space without feeling closed in, allowing light, airflow and views through to garden areas. The rough sawn texture, natural checking and patina develop further over time, blending effortlessly into rural, garden and bushland settings.



This style of fencing is particularly well suited to vegetable gardens, community gardens, orchards and DIY landscape projects, where a handcrafted, functional aesthetic is preferred over uniformity. The use of recycled timber not only adds visual interest and individuality, but also supports sustainable building practices by giving new life to reclaimed materials.

No two fences are ever the same, making Radial Wildcut fencing an ideal choice for projects that value texture, variation and a relaxed, natural finish.

Available heights: 0.9m, 1.2m

Gap spacing: 65mm (nominal)

